



Application Ref. No. 4/0434/93
Title of TPO 1987
TPO File No. 149

P H Stananought White Oaks Lane End Shootersway Lane Berkhamsted Herts HP4 3UT

DEVELOPMENT ADDRESS AND DESCRIPTION

White Oaks Lane End, Shootersway Lane Berkhamsted, Herts REMOVAL OF TREE AFFECTED BY TPO

Your application for works to a tree protected by a TPO dated 22.03.1993 and received on 24.03.1993 has been GRANTED, subject to any conditions set out on the attached sheet(s).

Chinesmade

Director of Planning.

Date of Decision: 12.08.1993

(encs. - Conditions and Notes).

CONDITIONS APPLICABLE TO APPLICATION: 4/0434/93

Date of Decision: 12.08.1993



1. This consent shall extend only to the felling of T11 Oak.

Reason: The tree is only a fraction of its potential size and is already dominating the garden. It is growing too close to the property.

2. A replacement tree shall be planted in the first planting season following the removal of the existing tree. The replacement shall be a standard in size, ie. 8 - 10 cm girth at 1 metre above ground level and 2.75 - 3 metres overall height. The replacement shall be planted as close as practically possible to the site of the existing tree.

Reason: The tree is only a fraction of its potential size and is already dominating the garden. It is growing too close to the property.

3. The replacement tree shall be one of the following: Pillar Apple (Malus tschonoskii); Silver Birch (Betula pendula); Winter Flowering Cherry (Prunus subhirtella "Autumnalis").

Reason: The tree is only a fraction of its potential size and is already dominating the garden. It is growing too close to the property.