

Town Planning

Ref. No. 4/0696/90

Other

Ref. No.

TOWN & COUNTRY PLANNING ACTS, 1971 and 1972

THE DISTRICT COUNCIL OF  
IN THE COUNTY OF HERTFORD

DACORUM

To Brian Goodson  
Tring Service Station Limited  
22 Western Road  
Tring Herts

Single storey building for car paint spraying oven.....

at Tring Service Station, R/O The Coal Yard,  
Western Road, Tring.....

Brief  
description  
and location  
of proposed  
development.

In pursuance of their powers under the above-mentioned Acts and the Orders and Regulations for the time being in force thereunder, the Council hereby permit the development proposed by you in your application dated 24 April 1990 and received with sufficient particulars on 2 May 1990 and shown on the plan(s) accompanying such application, subject to the following conditions:-

~~(The development to which this permission relates shall be begun within a period of twelve months commencing on the date of this notice.)~~

1. The development to which this permission relates shall be begun within a period of twelve months commencing on the date of this notice.
2. The existing paint spraying facility contained within the "existing bodyshop" (as indicated on drawing ref: SB 2295) shall be removed on completion of the development hereby permitted.
3. Prior to the commencement of any development on site, a scheme shall be submitted to and approved by the local planning authority identifying the methods to be employed to prevent nuisance or harmful effluvia arising from the emission of gases and vapours from the proposed paint spraying facility. Such scheme as is approved shall be implemented and installed prior to the commencement of the use of the development hereby permitted.

PLANNING APPLICATION NO. 4/0696/90

Conditions continued:

4. Between the hours of 0700 and 1900 on any day and throughout any Bank Holiday, noise arising from the paint sprayoven, associated plant, equipment, machinery and exhaust shall be so controlled and attenuated as to produce a sound spectrum falling within Noise Raising Curve 30 at all points on the application site boundary. Measurements to ascertain whether this condition is complied with shall be taken at a height of 1.2 m above ground level except where the site is enclosed by a wall or other sound-opaque structure at or near the perimeter, where measurements shall be taken at a position high enough to measure the noise coming over the top of such a structure.

Dated Tenth day of September 1990



Signed: \_\_\_\_\_

Designation: DIRECTOR OF PLANNING

11  
ifyin  
temer  
ment