

TOWN & COUNTRY PLANNING ACTS, 1971 and 1972

Other
Ref. No.THE DISTRICT COUNCIL OF **DACORUM**
IN THE COUNTY OF HERTFORDTo **A.P. Skelton (M & G) Ltd.,**
Calaflow Works,
London Road,
Friars Wash.**R.J. Blyth, Esq.,**
92 Hastings Street,
Luton.**Landscaping**at **Calaflow Works, London Road, Friars Wash**Brief
description
and location
of proposed
development.

In pursuance of their powers under the above-mentioned Acts and the Orders and Regulations for the time being in force thereunder the Council hereby give approval to the details which were reserved for subsequent approval in ~~outline~~ planning permission no. **4/0987/80** granted on **31st July, 1980** at the above-mentioned location, in accordance with the following drawings submitted by you: **landscape plan by Vanstones, landscape architects**

Subject to compliance with the following conditions:—

- (1) The landscaping scheme hereby approved shall be implemented strictly in accordance with the details shown on Plan 4/0990/82 in the first planting season following the date of this approval.
- (2) A chestnut pale fence shall be erected on the car park side of the proposed double hedge fronting Old Watling Street, the fence to be situated no closer than 500 mm to the nearest row of hedging. The fence to be maintained until the hedge is well established and shall not be removed without the prior approval of the Local Planning Authority.
- (3) All trees shall be properly staked, and any trees dying within 5 years of this approval shall be replaced.

Continued ...
See overleaf

- the 1990s, the number of people in the world who are illiterate has increased from 1.2 billion to 1.5 billion. The number of illiterate people in the world is projected to reach 1.7 billion by the year 2015. The number of illiterate people in the world is projected to reach 1.7 billion by the year 2015.

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The *Agrobacterium* strains were grown in the YEA medium for 24 h and then adjusted to the OD₆₀₀ of 0.1. The *Agrobacterium* strains were then grown in the YEA medium with the concentration of 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3.0, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0, 5.1, 5.2, 5.3, 5.4, 5.5, 5.6, 5.7, 5.8, 5.9, 6.0, 6.1, 6.2, 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 6.9, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6, 8.7, 8.8, 8.9, 9.0, 9.1, 9.2, 9.3, 9.4, 9.5, 9.6, 9.7, 9.8, 9.9, 10.0, 10.1, 10.2, 10.3, 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 11.0, 11.1, 11.2, 11.3, 11.4, 11.5, 11.6, 11.7, 11.8, 11.9, 12.0, 12.1, 12.2, 12.3, 12.4, 12.5, 12.6, 12.7, 12.8, 12.9, 13.0, 13.1, 13.2, 13.3, 13.4, 13.5, 13.6, 13.7, 13.8, 13.9, 14.0, 14.1, 14.2, 14.3, 14.4, 14.5, 14.6, 14.7, 14.8, 14.9, 15.0, 15.1, 15.2, 15.3, 15.4, 15.5, 15.6, 15.7, 15.8, 15.9, 16.0, 16.1, 16.2, 16.3, 16.4, 16.5, 16.6, 16.7, 16.8, 16.9, 17.0, 17.1, 17.2, 17.3, 17.4, 17.5, 17.6, 17.7, 17.8, 17.9, 18.0, 18.1, 18.2, 18.3, 18.4, 18.5, 18.6, 18.7, 18.8, 18.9, 19.0, 19.1, 19.2, 19.3, 19.4, 19.5, 19.6, 19.7, 19.8, 19.9, 20.0, 20.1, 20.2, 20.3, 20.4, 20.5, 20.6, 20.7, 20.8, 20.9, 21.0, 21.1, 21.2, 21.3, 21.4, 21.5, 21.6, 21.7, 21.8, 21.9, 22.0, 22.1, 22.2, 22.3, 22.4, 22.5, 22.6, 22.7, 22.8, 22.9, 23.0, 23.1, 23.2, 23.3, 23.4, 23.5, 23.6, 23.7, 23.8, 23.9, 24.0, 24.1, 24.2, 24.3, 24.4, 24.5, 24.6, 24.7, 24.8, 24.9, 25.0, 25.1, 25.2, 25.3, 25.4, 25.5, 25.6, 25.7, 25.8, 25.9, 26.0, 26.1, 26.2, 26.3, 26.4, 26.5, 26.6, 26.7, 26.8, 26.9, 27.0, 27.1, 27.2, 27.3, 27.4, 27.5, 27.6, 27.7, 27.8, 27.9, 28.0, 28.1, 28.2, 28.3, 28.4, 28.5, 28.6, 28.7, 28.8, 28.9, 29.0, 29.1, 29.2, 29.3, 29.4, 29.5, 29.6, 29.7, 29.8, 29.9, 30.0, 30.1, 30.2, 30.3, 30.4, 30.5, 30.6, 30.7, 30.8, 30.9, 31.0, 31.1, 31.2, 31.3, 31.4, 31.5, 31.6, 31.7, 31.8, 31.9, 32.0, 32.1, 32.2, 32.3, 32.4, 32.5, 32.6, 32.7, 32.8, 32.9, 33.0, 33.1, 33.2, 33.3, 33.4, 33.5, 33.6, 33.7, 33.8, 33.9, 34.0, 34.1, 34.2, 34.3, 34.4, 34.5, 34.6, 34.7, 34.8, 34.9, 35.0, 35.1, 35.2, 35.3, 35.4, 35.5, 35.6, 35.7, 35.8, 35.9, 36.0, 36.1, 36.2, 36.3, 36.4, 36.5, 36.6, 36.7, 36.8, 36.9, 37.0, 37.1, 37.2, 37.3, 37.4, 37.5, 37.6, 37.7, 37.8, 37.9, 38.0, 38.1, 38.2, 38.3, 38.4, 38.5, 38.6, 38.7, 38.8, 38.9, 39.0, 39.1, 39.2, 39.3, 39.4, 39.5, 39.6, 39.7, 39.8, 39.9, 40.0, 40.1, 40.2, 40.3, 40.4, 40.5, 40.6, 40.7, 40.8, 40.9, 41.0, 41.1, 41.2, 41.3, 41.4, 41.5, 41.6, 41.7, 41.8, 41.9, 42.0, 42.1, 42.2, 42.3, 42.4, 42.5, 42.6, 42.7, 42.8, 42.9, 43.0, 43.1, 43.2, 43.3, 43.4, 43.5, 43.6, 43.7, 43.8, 43.9, 44.0, 44.1, 44.2, 44.3, 44.4, 44.5, 44.6, 44.7, 44.8, 44.9, 45.0, 45.1, 45.2, 45.3, 45.4, 45.5, 45.6, 45.7, 45.8, 45.9, 46.0, 46.1, 46.2, 46.3, 46.4, 46.5, 46.6, 46.7, 46.8, 46.9, 47.0, 47.1, 47.2, 47.3, 47.4, 47.5, 47.6, 47.7, 47.8, 47.9, 48.0, 48.1, 48.2, 48.3, 48.4, 48.5, 48.6, 48.7, 48.8, 48.9, 49.0, 49.1, 49.2, 49.3, 49.4, 49.5, 49.6, 49.7, 49.8, 49.9, 50.0, 50.1, 50.2, 50.3, 50.4, 50.5, 50.6, 50.7, 50.8, 50.9, 51.0, 51.1, 51.2, 51.3, 51.4, 51.5, 51.6, 51.7, 51.8, 51.9, 52.0, 52.1, 52.2, 52.3, 52.4, 52.5, 52.6, 52.7, 52.8, 52.9, 53.0, 53.1, 53.2, 53.3, 53.4, 53.5, 53.6, 53.7, 53.8, 53.9, 54.0, 54.1, 54.2, 54.3, 54.4, 54.5, 54.6, 54.7, 54.8, 54.9, 55.0, 55.1, 55.2, 55.3, 55.4, 55.5, 55.6, 55.7, 55.8, 55.9, 56.0, 56.1, 56.2, 56.3, 56.4, 56.5, 56.6, 56.7, 56.8, 56.9, 57.0, 57.1, 57.2, 57.3, 57.4, 57.5, 57.6, 57.7, 57.8, 57.9, 58.0, 58.1, 58.2, 58.3, 58.4, 58.5, 58.6, 58.7, 58.8, 58.9, 59.0, 59.1, 59.2, 59.3, 59.4, 59.5, 59.6, 59.7, 59.8, 59.9, 60.0, 60.1, 60.2, 60.3, 60.4, 60.5, 60.6, 60.7, 60.8, 60.9, 61.0, 61.1, 61.2, 61.3, 61.4, 61.5, 61.6, 61.7, 61.8, 61.9, 62.0, 62.1, 62.2, 62.3, 62.4, 62.5, 62.6, 62.7, 62.8, 62.9, 63.0, 63.1, 63.2, 63.3, 63.4, 63.5, 63.6, 63.7, 63.8, 63.9, 64.0, 64.1, 64.2, 64.3, 64.4, 64.5, 64.6, 64.7, 64.8, 64.9, 65.0, 65.1, 65.2, 65.3, 65.4, 65.5, 65.6, 65.7, 65.8, 65.9, 66.0, 66.1, 66.2, 66.3, 66.4, 66.5, 66.6, 66.7, 66.8, 66.9, 67.0, 67.1, 67.2, 67.3, 67.4, 67.5, 67.6, 67.7, 67.8, 67.9, 68.0, 68.1

Kimberly

Designation **Chief Planning Officer**

NOTE

- (1) If the applicant wishes to have an explanation of the reasons for this decision it will be given on request and a meeting arranged if necessary.
- (2) If the Applicant is aggrieved by the decision of the local planning authority to approve the details of the proposed development subject to conditions, he may by notice served within one month of receipt of this notice, appeal to the Secretary of State for the Environment in accordance with Section 36 of the Town and Country Planning Act, 1971. The Secretary of State has power to allow a longer period for the giving of a Notice of Appeal and he will exercise his power in cases where he is satisfied that the applicant has deferred the giving of notice because negotiations with the local planning authority in regard to the proposed development are in progress.

doi:10.1017/S0022292412001616 Printed in the United Kingdom

[illegible]

Journal of Management Studies, 36(7), 809–824.

E. coli O157:H7 was isolated from ground beef samples collected from retail outlets in the United States during the outbreak period.

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

TOWN & COUNTRY PLANNING ACTS, 1971 and 1972

THE DISTRICT COUNCIL OF **DACORUM**
IN THE COUNTY OF HERTFORD

To **A.P. Skelton (M & G) Ltd.,**
Calaflow Works,
London Road,
Friars Wash.

R.J. Blyth, Esq.,
92 Hastings Street,
Luton.

Landscaping

NOTE

at **Calaflow Works, London Road, Friars Wash**

Brief description of proposed development.

In pursuance of their powers under the above-mentioned Acts and the Orders and Regulations for the time being in force thereunder the Council hereby give approval to the details, which were reserved for subsequent approval in outline planning permission no. 4/0987/80

granted on **31st. July, 1980** at the above-mentioned location, in accordance with the following drawings submitted by you: **landscape plan by Vanstones, landscape architects**

Subject to compliance with the following conditions:—

- (1) The landscaping scheme hereby approved shall be implemented strictly in accordance with the details shown on Plan 4/0990/82 in the first planting season following the date of this approval.
- (2) A chestnut pale fence shall be erected on the car park side of the proposed double hedge fronting Old Watling Street, the fence to be situated no closer than 500 mm to the nearest row of hedging. The fence to be maintained until the hedge is well established and shall not be removed without the prior approval of the Local Planning Authority.
- (3) All trees shall be properly staked, and any trees dying within 5 years of this approval shall be replaced.

Continued ...

See overleaf

4/0990/82 (Continued)

- (4) The trees to be planted on the south-west side of the car park shall be properly protected by tree guards to the satisfaction of the local planning authority.

Dated 15th February 1983

Signed 

CHIEF PLANNING OFFICER.

TOWN & COUNTRY PLANNING ACTS, 1971 and 1972

THE DISTRICT COUNCIL OF **DACORUM**
IN THE COUNTY OF HERTFORD

To **A.P. Skelton (M & G) Ltd.,**
Calaflow Works,
London Road,
Friars Wash.

R.J. Blyth, Esq.,
92 Hastings Street,
Luton.

Landscaping

NOTE

at **Calaflow Works, London Road, Friars Wash**

Brief description (1)
and location
of proposed
development.

In pursuance of their powers under the above mentioned Acts and the Orders and Regulations for the time being in force thereunder the Council hereby give approval to the details which were reserved for subsequent approval in outline planning permission no. **4/0987/80**

granted on **31st July, 1980** at the above-mentioned location in accordance

with the following drawings submitted by you: **landscape plan by Vanstones,**
landscape architects

Subject to compliance with the following conditions:-

- (1) The landscaping scheme hereby approved shall be implemented strictly in accordance with the details shown on Plan 4/0990/82 in the first planting season following the date of this approval.
- (2) A chestnut pale fence shall be erected on the car park side of the proposed double hedge fronting Old Watling Street, the fence to be situated no closer than 500 mm to the nearest row of hedging. The fence to be maintained until the hedge is well established and shall not be removed without the prior approval of the Local Planning Authority.
- (3) All trees shall be properly staked, and any trees dying within 5 years of this approval shall be replaced.

Continued ...

See overleaf

4/0990/82 (Continued)

- (4) The trees to be planted on the south-west side of the car park shall be properly protected by tree guards to the satisfaction of the local planning authority.

Dated 15th February 1983

Signed 

CHIEF PLANNING OFFICER.