



TOWN AND COUNTRY PLANNING ACT 1990

DACORUM BOROUGH COUNCIL

Application Ref. No. 4/1083/96

Title of TPO: 1987 land rear of 120-166 Chaulden Lane

TPO File No: 170

Mr D Barton  
30 The Coltsfoot  
Hemel Hempstead  
Herts HP1 2DF

DEVELOPMENT ADDRESS AND DESCRIPTION  
=====

30 The Coltsfoot, Hemel Hempstead, Herts

DEADWOOD AND CROWN LIFT TREES

Your application for *works to a tree protected by a TPO* dated 14.08.1996 and received on 21.08.1996 has been **GRANTED**, subject to any conditions set out on the attached sheet(s).

Director of Planning

Date of Decision: 19.09.1996

(encs. - Conditions and Notes).



CONDITIONS APPLICABLE  
TO APPLICATION: 4/1083/96

Date of Decision: 19.09.1996

This permission extends only to the following works:

- (a) removal of deadwood;
- (b) lifting of crown by a maximum of 1 metre.

Reason: There is major deadwood within the tree crowns that needs removing for the health of the trees and to remove any danger of injury or damage caused by falling branches. Lifting the crowns by 1 metre will remove low basal suckers and promote light penetration into the garden.



TOWN AND COUNTRY PLANNING ACT 1990

DACORUM BOROUGH COUNCIL

Application Ref. No. 4/1083/96

Title of TPO: 1987 land rear of 120-166 Chaulden Lane

TPO File No: 170

Mr D Barton  
30 The Coltsfoot  
Hemel Hempstead  
Herts HP1 2DF

DEVELOPMENT ADDRESS AND DESCRIPTION

30 The Coltsfoot, Hemel Hempstead, Herts


DEADWOOD AND CROWN LIFT TREES

Your application for *works to a tree protected by a TPO* dated 14.08.1996 and received on 21.08.1996 has been **GRANTED**, subject to any conditions set out on the attached sheet(s).

Director of Planning

Date of Decision: 19.09.1996

(encs. - Conditions and Notes).



CONDITIONS APPLICABLE  
TO APPLICATION: 4/1083/96

Date of Decision: 19.09.1996

This permission extends only to the following works:

- (a) removal of deadwood;
- (b) lifting of crown by a maximum of 1 metre.

Reason: There is major deadwood within the tree crowns that needs removing for the health of the trees and to remove any danger of injury or damage caused by falling branches. Lifting the crowns by 1 metre will remove low basal suckers and promote light penetration into the garden.