D.C. 3

			Town Planning 4/1092/89 Ref. No	
TOWN	& COUNTRY PLANNING ACTS	Other Ref. No		
		·		
THE D	ISTRICT COUNCIL OF	DACORUM		
IN THE	E COUNTY OF HERTFORD		· ,'	
	· Section 1			
	•	: •		
	Adeyfield Free Church Leverstock Green Road Hemel Hempstead Herts	Mr D E Kent "Marchwood" Greenway Berkhamsted	Herts	
Er	ection of prefabricated bu	ilding for Church	Hall	
	Adeyfield Free Church, Leve	Brief description and location of proposed development.		
being in	pursuance of their powers under the abo force thereunder, the Council hereby 23 June 1989		-	
	ved with sufficient particulars on			
	n on the plan(s) accompanying such app		·	
(1)	The development to which this per commencing on the date of this notice		begun within a period of years	
(2)	details of materials to to and approved by the	be used external local planning au	ment hereby permitted untily and a submitted it submitted in the materials so approved.	
(3)	arrangements for vehicle	e parking shown o they shall not b	not be occupied until the on plan 4/1092/89 shall be used thereafter otherwise	

The reasons for the Council's decision to grant permission for the development subject to the above conditions are:—

- (1) To comply with the requirements of Section 41 of the Town & Country Planning Act, 1971.
- (2) To ensure a satisfactory appearance.
- (3) To ensure the adequate and satisfactory provision of off-street vehicle parking facilities.
- (4) To ensure an adequate standard of sound attenuation.
- (5) To ensure an adequate standard of sound attenuation.

-0.0			uay	011J
		•		
	•			
				Signed
				Designation

NOTE

(1) If the applicant wishes to have an explanation of the reasons for this decision it will be given on request and a meeting arranged if necessary.

(2) If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, he may appeal to the Secretary of State for the Environment, in accordance with section 36 of the Town and Country Planning Act 1971, within six months of receipt of this notice. Appeals must be made on a form which is obtainable from the Secretary of State for the Environment, Marsham Street, London, S.W.1.) The Secretary of State has power to allow a longer period for the giving of a notice of appeal but he will not normally be prepared to exercise this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State is not required to entertain an appeal if it appears to him that permission for the proposed development could not have been granted by the local planning authority, or could not have been so granted otherwise than subject to the conditions imposed by them, having regard to the statutory requirements, to the provisions of the development order, and to any directions given under the order.

(3) If permission to develop land is refused, or granted subject to conditions, whether by the local planning authority or by the Secretary of State and the owner of the land claims that the land has become incapable of reasonably beneficial use in its existing state and cannot be rendered capable of reasonably beneficial use by the carrying out of any development which has been or would be permitted, he may serve on the Common Council, or on the Council of the county borough, London borough or county district in which the land is situated, as the case may be, a purchase notice requiring that council to purchase his interest in

the land in accordance with the provisions of Part IX of the Town and Country Planning Act 1971.

(4) In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to him. The circumstances in which such compensation is payable are set out in section 169 of the Town and Country Planning Act 1971.

PLANNING APPLICATION NO: 4/1092/89

Conditions Continued: -

 \bigcirc

- (4) Between the hours of 0800 and 1930 noise from operations conducted on the premises on any day shall not exceed 53 dBA as measured on the northern boundary over any 15 minute period and expressed as a 15 minute equivalent continuous sound pressure level (Leq 15 mins). Between the hours of 1930 and 2300, noise from operations conducted on the premises on any day shall not exceed 49 dBA as measured on the northern boundary over any 15 minute period and expressed as a 15 minute equivalent continuous sound pressure level (Leq 15 mins). At any other time, noise from operations conducted on the premises and measured and expressed in a similar way shall not exceed 45 dBA. The measurements shall be taken at a height of 1.2 metres above ground level except where the site is enclosed by a wall or other sound opaque structure at or near the perimeter, when measurements shall be taken at a position high enough to measure the noise coming over the top of such a structure.
- Notwithstanding the details shown on drawing No. 8901/1 the western (5) elevation shall contain no doors and no openable windows.

Dated

Twentleth

day of

September

1989

Signed:

Designation: CHIEF PLANNING OFFICER