

Town Planning 4/1115/89

Ref. No. ....

## TOWN &amp; COUNTRY PLANNING ACTS, 1971 and 1972

Other

Ref. No. ....

THE DISTRICT COUNCIL OF **DACORUM** .....

IN THE COUNTY OF HERTFORD

To Forest Services Quilter Savill Associates  
 North Circular Self Serve Pantile House  
 376/378 North Circular Road The Newlands  
 LONDON N13 Newland Street, Witham, CM8 2AP

<div style="border: 1px solid black; padding: 5px;"> <p>Car Wash Building</p> <p>.....</p> <p>at 487-489 London Road</p> <p>Hemel Hempstead, Herts.</p> </div>	Brief description and location of proposed development.

In pursuance of their powers under the above-mentioned Acts and the Orders and Regulations for the time being in force thereunder, the Council hereby permit the development proposed by you in your application dated 16.6.89 and received with sufficient particulars on 27.6.89 and shown on the plan(s) accompanying such application, subject to the following conditions:-

- (1) The development to which this permission relates shall be begun within a period of 5 years commencing on the date of this notice.
- (2) The building enclosing the car wash machine shall be constructed in materials to match both in colour and texture those approved pursuant to Condition 4 of permission 4/0359/89.
- (3) The enclosing building shall incorporate sound deadening tiles to reduce sound transmission from the drying equipment and a Crawford 342 "up-and-over" insulated automatic door in the east (entrance) elevation.
- (4) Before the car wash is brought into use, a 2 metre high brick boundary wall shall be constructed along the eastern boundary of the site as indicated on Plan 4/1115/89, Drawing No. 286/1.
- (5) The car wash shall not be operated outside the hours of 8.00 am to 8.00 pm Monday to Sunday.
- (6) All noise emitting plant associated with the car wash shall be contained within the building structure.
- (7) the car wash shall only be operated with the acoustic door shut and an interlock shall be fitted and maintained to the satisfaction of the local planning authority to ensure that mode of operation.

Contd/



- (8) On Sundays, noise from operations conducted on the premises shall not exceed 51dBA as measured on the eastern boundary of the site referred to in condition (4) above over any 5 minute period, and expressed as a 5 minute equivalent sound pressure level (Leq 5 mins). At any other time, noise from operations conducted on the premises and measured and expressed in a similar way shall not exceed 56dBA (Leq 5 mins). The measurements shall be taken at a position high enough to measure the noise coming over the top of the boundary wall referred to in Condition (4).

---

Dated .....19th..... day of ....October.....1989

Signed ....

CHIEF PLANNING OFFICER  
Designation .....