DACORUM

TOWN AND COUNTRY PLANNING ACT 1990

DACORUM BOROUGH COUNCIL

Application Ref. No. 4/1313/93

Title of TPO. Box Lane TPO3 - 1966

TPO File No. 17

Mrs A Fordham 1 Haywood Drive Hemel Hempstead Herts HP3 OSA

DEVELOPMENT ADDRESS AND DESCRIPTION

1 Haywood Drive, Hemel Hempstead, Herts

APPLICATION TO FELL SYCAMORES & TRIM LIME TREE

Your application for works to a tree protected by a TPO dated 27.09.1993 and received on 28.09.1993 has been GRANTED, subject to any conditions set out on the attached sheet(s).

Director of Planning.

Date of Decision: 02.11.1993

(encs. - Conditions and Notes).

CONDITIONS APPLICABLE TO APPLICATION: 4/1313/93

Date of Decision: 02.11.1993



1. Only the three sycamores indicated as A, B and C on the submitted plan shall be removed.

Reason: To allow the replacement of the existing trees with species appropriate to the garden location.

- In the first planting season following the removal of the sycamores, three replacement trees of the following species shall be planted as close as practically possible to the site of the existing trees:
 - (a) Sorbus 'Joseph Rock'
 - (b) Acer Palmatum 'Sentaki'
 - (c) Corylus Auellona 'Purpurea'

The replacements shall be standards in size and at least 8 cm - 10 cm girth at 1 metre above ground.

Reason: In the interests of visual and residential amenity.

 All works shall be carried out in accordance with British Standard 3998 (1989).

Reason: In the interests of safety and to maintain standards.