

TOWN AND COUNTRY PLANNING ACT 1990

DACORUM BOROUGH COUNCIL

Application Ref. No. 4/1599/91

Mrs N Paton  
6 Alderley Court  
Berkhamsted  
Herts

DEVELOPMENT ADDRESS AND DESCRIPTION  
=====

6 Alderley Court, Berkhamsted.


REMOVAL OF PRESERVED TREE

Your application for *works to a tree protected by a TPO* dated 12.11.1991 and received on 15.11.1991 has been **GRANTED**, subject to any conditions set out on the attached sheet.

Director of Planning.

Date of Decision: 18.12.1991

(encs. - Conditions and Notes).



CONDITIONS APPLICABLE  
TO APPLICATION: 4/1599/91

Date of Decision: 18.12.1991

1. A replacement tree shall be planted in the first planting season following the removal of the tree. The replacement shall be a standard in size, ie at least 8-10 cms girth at 1 m above ground level and 2.75 to 3 m overall height.
2. The replacement tree shall be planted as close as practically possible to the site of the existing tree T32 and shall be one of the following species:
  - i. Swedish birch - *Betula pendula* 'Dalecarlica'
  - ii. Pillar apple - *Malus tschonoskii*
  - iii. Cherry - *Prunus subhirtella* 'Autumnalis'
3. The Council must be notified when the replacement tree has been planted so that an inspection can be carried out.

REASONS:

1. The spruce tree is dying.
2. The replacement tree be an ornamental tree suitable for a residential garden.